

# Clarrie Hall Dam

## Water level percentage conversion chart

WATER LEVEL (AHD) m	% FULL	AVAILABLE VOLUME ML
61.50	100.0%	15000
61.42	99.0%	14850
61.34	98.0%	14700
61.26	97.0%	14550
61.18	96.0%	14400
61.10	95.0%	14250
61.02	94.0%	14100
60.94	93.0%	13950
60.86	92.0%	13800
60.78	91.0%	13650
60.70	90.0%	13500
60.62	89.0%	13350
60.54	88.0%	13200
60.46	87.0%	13050
60.38	86.0%	12900
60.30	85.0%	12750
60.22	84.0%	12600
60.14	83.0%	12450
60.06	82.0%	12300
59.98	81.0%	12150
59.90	80.0%	12000
59.82	79.0%	11850
59.74	78.0%	11700
59.66	77.0%	11550
59.58	76.0%	11400
59.50	75.0%	11250
59.48	74.8%	11220
59.47	74.6%	11190
59.45	74.4%	11160
59.44	74.2%	11130
59.42	74.0%	11100
59.40	73.8%	11070
59.39	73.6%	11040
59.37	73.4%	11010
59.36	73.2%	10980
59.34	73.0%	10950
59.32	72.8%	10920
59.31	72.6%	10890
59.29	72.4%	10860
59.28	72.2%	10830
59.26	72.0%	10800
59.24	71.8%	10770

# Clarrie Hall Dam

## Water level percentage conversion chart continued

59.22	71.6%	10740
59.21	71.4%	10710
59.19	71.2%	10680
59.17	71.0%	10650
59.15	70.8%	10620
59.13	70.6%	10590
59.12	70.4%	10560
59.10	70.2%	10530
59.08	70.0%	10500
59.06	69.8%	10470
59.04	69.6%	10440
59.03	69.4%	10410
59.01	69.2%	10380
58.99	69.0%	10350
58.97	68.8%	10320
58.95	68.6%	10290
58.94	68.4%	10260
58.92	68.2%	10230
58.90	68.0%	10200
58.88	67.8%	10170
58.86	67.6%	10140
58.85	67.4%	10110
58.83	67.2%	10080
58.81	67.0%	10050
58.79	66.8%	10020
58.77	66.6%	9990
58.75	66.4%	9960
58.73	66.2%	9930
58.71	66.0%	9900
58.69	65.8%	9870
58.67	65.6%	9840
58.65	65.4%	9810
58.63	65.2%	9780
58.61	65.0%	9750
58.51	64.0%	9600
58.41	63.0%	9450
58.31	62.0%	9300
58.21	61.0%	9150
58.11	60.0%	9000
58.01	59.0%	8850
57.91	58.0%	8700
57.81	57.0%	8550
57.71	56.0%	8400
57.61	55.0%	8250
57.51	54.0%	8100
57.41	53.0%	7950
57.31	52.0%	7800

# Clarrie Hall Dam

## Water level percentage conversion chart continued

57.21	51.0%	7650
57.11	50.0%	7500
57.00	49.0%	7350
56.89	48.0%	7200
56.77	47.0%	7050
56.64	46.0%	6900
56.50	45.0%	6750
56.35	44.0%	6600
56.19	43.0%	6450
56.02	42.0%	6300
55.85	41.0%	6150
55.68	40.0%	6000
55.51	39.0%	5850
55.34	38.0%	5700
55.16	37.0%	5550
54.99	36.0%	5400
54.81	35.0%	5250
54.63	34.0%	5100
54.44	33.0%	4950
54.25	32.0%	4800
54.05	31.0%	4650
53.85	30.0%	4500
53.64	29.0%	4350
53.43	28.0%	4200
53.21	27.0%	4050
52.98	26.0%	3900
52.74	25.0%	3750
52.50	24.0%	3600
52.25	23.0%	3450
52.00	22.0%	3300
51.75	21.0%	3150
51.50	20.0%	3000
51.25	19.0%	2850
51.00	18.0%	2700
50.70	17.0%	2550
50.40	16.0%	2400
50.10	15.0%	2250
49.78	14.0%	2100
49.44	13.0%	1950
49.07	12.0%	1800
48.67	11.0%	1650
48.24	10.0%	1500
47.78	9.0%	1350
47.29	8.0%	1200
46.77	7.0%	1050
46.22	6.0%	900
45.63	5.0%	750

# Clarrie Hall Dam

## Water level percentage conversion chart continued

45.00	4.0%	600
44.31	3.0%	450
43.54	2.0%	300
42.64	1.0%	150
41.50	0.0%	0